



SOLO 370 LITHIUM-ION BATTERY

SAFETY DATA SHEET

SDS0096US-EN

ACCORDING TO US CFR 1910.1200

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier	
Product Name	Solo 370
Trade Name	Solo 370-XXX (XXX denotes customer variant)
CAS No.	Mixture.
EINECS No.	Mixture.
REACH Registration No.	None assigned.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified Use(s)	Battery product.
Uses Advised Against	None known.
1.3 Details of the supplier of the safety data sheet	
Company Identification	SDi, LLC, 3535 State Highway 66, Parkway 100 Building 6, Neptune, NJ 07753, USA
Telephone	(732) 751 9266
Fax	(732) 751 9241
E-mail	sales@sdifire.com
1.4 Emergency telephone number	
Info Trac	1-800-535-5053
1.5 Details of the Manufacturer	
Company Identification	Detector testers (No Climb Products Ltd), Edison House, 163 Dixons Hill Road, Welham Green, Hertfordshire AL9 7JE, United Kingdom.
Telephone	+44 (0) 1707 282760
Fax	+44 (0) 1707 282777
E-mail	SDS@detector testers.com

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
US CFR 1910.1200	Not classified as dangerous for supply/use. The battery is a sealed unit and therefore the ingredients present have no hazard potential except in a situation where the battery has been violated or dismantled.
2.2 Label elements	
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	None.
Precautionary Statement(s)	None.
2.3 Other hazards	None.
2.4 Additional Information	There is no hazard when the measures for handling and storage are followed. In case of cell damage, possible release of dangerous substances and a spontaneous flammable gas mixture may be released. Battery content must not get in contact with water. Contact with water liberates extremely flammable gases.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous Ingredient(s)	%W/W	CAS No.
Cobalt oxide	<15	1307-96-6
Manganese dioxide	<15	1313-13-9
Nickel Oxide	<15	1313-99-1
Electrolyte(*)	<15	None

(*) Main Ingredients: Lithium hexafluorophosphate, organic carbonates

3.2 Additional Information

During the charge process a lithium carbon intercalation phase is formed, which is highly flammable and corrosive, but not released under normal usage.

Mercury content: Hg<0.1mg/kg

Cadmium content: Cd<1mg/kg

Lead content: Pb<10mg/kg

For full text of H/P statements see section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

Inhalation

Unlikely route of exposure.

Skin Contact

Electrolyte leakage: Remove to fresh air immediately. Seek medical treatment.

Eye Contact

Unlikely route of exposure.

Electrolyte leakage: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Ingestion

Unlikely route of exposure.

Electrolyte leakage: Flush eyes with water for at least 15 minutes. Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

Unlikely route of exposure.

Electrolyte leakage: Make victim drink plenty of water. Do not induce vomiting. Seek medical treatment.

4.3 Indication of any immediate medical attention and special treatment needed

None anticipated.

Electrolyte leakage Can cause damage to the eyes and skin.

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Extinguishing media

Extinguish preferably with dry chemical or sand.

Unsuitable extinguishing media

Water, Water spray.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition product(s) include: Hydrofluoric acid (upon contact with water), Hydrogen fluoride (HF) gas, Carbon monoxide and Carbon dioxide.

5.3 Advice for fire-fighters

In case of major fire and large quantities: A self contained breathing apparatus should be worn. If possible, remove cell(s) from fire fighting area. If heated above 125°C, cell(s) can explode/vent. Cell is not flammable but internal organic material will burn if the cell is incinerated.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Use PPE. Avoid contact with skin, eyes or clothing. Avoid breathing fumes.

6.2 Environmental precautions

Prevent entry into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Also Section: 8, 13

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Avoid mechanical damage to the cell. Do not open or disassemble.

Do not throw batteries in water.

Keep away from: Children

Avoid overheating.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from open flames, heat and sources of ignition.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None anticipated.

7.3 Specific end use(s)

Battery product

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Under normal conditions of battery use, internal components will not present a health or environmental hazard.

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTCL (8 hr TWA ppm)	LTCL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Cobalt oxide	1307-96-6	-	5*	-	-	OSHA, Sen,
Manganese dioxide	1313-13-9	-	5*	-	-	OSHA
Nickel oxide	1313-99-1	-	5*	-	-	OSHA, Carc
Carbon	7440-44-0	-	5*	-	-	OSHA

Source:

OSHA = Occupational Safety and Health Administration *Respirable Dust.

8.2 Exposure controls**8.2.1 Appropriate engineering controls**

Provide adequate ventilation.

8.2.2 Personal protection equipment



Specialized Fire Products

Eye/ face protection



Not normally required.
Electrolyte leakage: Wear eye/face protection.

Skin protection (Hand protection/ Other)



Not normally required.
Electrolyte leakage: Wear impervious gloves.

Respiratory protection



No personal respiratory protective equipment normally required.
Electrolyte leakage: Wear suitable respiratory protective equipment.

Thermal hazards

Not applicable.
Avoid release to the environment.

8.2.3 Environmental Exposure Controls

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Solid.
Colour	Not applicable.
Odour	Odourless.
Odour threshold	Not applicable.
pH	Not determined.
Melting point/freezing point	Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash Point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not applicable.
Solubility(ies)	Insoluble
Partition coefficient: n-octanol/water	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Kinematic Viscosity	Not applicable.
Explosive properties	Not explosive when used as intended.
Oxidising properties	Not oxidising when used as intended.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Do not heat the product.
10.5 Incompatible materials	Stable under normal conditions.
10.6 Hazardous decomposition product(s)	No hazardous decomposition products known when used as intended. See Section: 5 Firefighting measures

SECTION 11: TOXICOLOGICAL INFORMATION

Unlikely to cause harmful effects under normal conditions of handling and use.	
11.1 Information on toxicological effects	
Acute toxicity	Low acute toxicity.
Skin corrosion/irritation	Non-irritant.
Serious eye damage/irritation	Not classified.
Respiratory or skin sensitization	It is not a skin sensitiser.
Germ cell mutagenicity	There is no evidence of mutagenic potential.
Carcinogenicity	No evidence of carcinogenicity.
Reproductive toxicity	None anticipated.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	None anticipated.
11.2 Other information	None.



Specialized Fire Products

SOLO 370 LITHIUM-ION BATTERY

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Under normal conditions of battery use, internal components will not present a health or environmental hazard.
12.2	Persistence and degradability	Not applicable.
12.3	Bioaccumulative potential	Not applicable.
12.4	Mobility in soil	Not applicable
12.5	Other adverse effects	Do not flush spilt material into any public water system.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Consult an accredited waste disposal contractor or the local authority for advice.
13.2	Additional Information	Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1	UN number	UN 3480, UN3481
14.2	UN proper shipping name	Batteries, Lithium Ion
14.3	Transport hazard class(es)	
	ADR	Under special provision 188.
	IMDG	Under special provision 188.
	IATA	UN 3480, UN 3481
	DOT	Not applicable.
14.4	Packing group	Not applicable.
14.5	Environmental hazards	Not applicable.
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	OSHA	
	Toxic and hazardous substances (29 CFR 1910; Subpart Z)	All chemicals are not listed
	National emission standards for hazardous air pollutants (40 CFR 61.01)	All chemicals are not listed
15.1.2	Title III Consolidated List of Lists Sec 313	Cobalt oxide (Cobalt compounds), Manganese dioxide (Manganese compounds), Nickel oxide (Nickel compounds)
15.1.3	OSPAR List of Chemicals for Priority Action	All chemicals are not listed
15.1.4	State Right to Know Lists	Cobalt oxide (cobalt compounds) - New Jersey Nickel oxide (nickel compounds) – New Jersey, Pennsylvania
15.1.5	TSCA (Toxic Substance Control Act)	Cobalt oxide (Cas 1307-96-6), Manganese dioxide (Cas 1313-13-9), Nickel oxide (Cas 1313-99-1), Carbon (Cas 7440-44-0).
15.1.6	Proposition 65 (California)	Cobalt oxide (Cas 1307-96-6), Nickel oxide (Cas 1313-99-1)

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

USA

NFPA		HMIS	
Health	0	Health	0
Fire	1	Flammability	1
Instability	0	Physical hazards	0

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
OSPAR	Oslo and Paris Convention
OSHA	Occupational Safety and Health Administration
NFPA	National Fire Protection Association
HMIS	Hazardous Material Information System
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
VOC	Volatile Organic Compounds

Disclaimers

The information is based on the best knowledge of SDi and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

Annex to the extended Safety Data Sheet (eSDS)

No information available.