



Solo Smoke Detector Tester
SAFETY DATA SHEET
 SDS0066CA-EN

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Solo Smoke Detector Tester.
Trade Name	Solo A4 - XXX (XXX denotes customer variant).
CAS No.	Mixture.
EINECS No.	Mixture.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified Use(s)	Smoke simulation.
Uses Advised Against	None known.
1.3 Details of the supplier of the safety data sheet	
1.3.1 Distributor	
Company Identification	SDi, LLC, 3535 State Highway 66, Parkway 100 Building 6, Neptune NJ07753, USA
Telephone	(732) 751 9266
Fax	(732) 751 9241
E-mail	sales@sdifire.com
1.4 Emergency telephone number	
Info Trac	1-800-535-5053
1.5 Address of Manufacturer	
	Detector testers (No Climb Products Ltd). Edison House, 163 Dixons Hill Road, Welham Green, Hertfordshire AL9 7JE. United Kingdom
Telephone	+44 (0) 1707 282760
Fax	+44 (0) 1707 282777
E-mail	SDS@detector testers.com

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
WHMIS Classification	Gases under pressure: Liquefied gas; Contains gas under pressure; may explode if heated. Causes serious eye irritation.
2.2 Label elements	
Product Name	Solo Smoke Detector Tester
Hazard Pictogram(s)	 
Signal Word(s)	Warning.
Hazard Statement(s)	H280: Contains gas under pressure; may explode if heated. H319: Causes serious eye irritation.
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Pressurised container - Do not pierce or burn, even after use. P264: Wash hands and exposed skin thoroughly after handling. P410+P403: Protect from sunlight. Store in a well-ventilated place. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
2.3 Additional Information	14.5 % by mass of the contents are flammable. Do not pierce or burn, even after use. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Keep out of reach of children. Keep away from combustible material. Keep away from sources of ignition - No smoking.
2.4 Other hazards	High concentrations: May cause drowsiness and dizziness.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

Hazardous Ingredient(s)	CAS No.	%W/W
1,1,1,2-tetrafluoroethane	811-97-2	50-100
Propan-2-ol	67-63-0	10-25

3.2 Additional Information

For full text of H/P Statements see section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop, obtain medical attention.

Skin Contact

Wash skin with soap and water.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing media

Suitable Extinguishing media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media

None known.

5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours. Wear suitable gloves and eye/face protection.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.

6.4 Reference to other sections

See Also Section: 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. Avoid contact with eyes. Avoid prolonged skin contact. Wear suitable gloves if prolonged skin contact is likely. See Section: 8. Do not eat, drink or smoke during work. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature

Ambient.

Protect from sunlight and do not expose to temperatures exceeding 122 °F.

Stable under normal conditions.

Storage life

Incompatible materials

None known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****8.1.1 Occupational Exposure Limits**

SUBSTANCE.	CAS No.	LTCL (8 hr TWA ppm)	LTCL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
1,1,1,2-tetrafluoroethane	811-97-2	-	-	-	-	Not established
Propan-2-ol	67-63-0	200	-	400	-	Canada (Ontario)
		400	983	500	1230	Canada (Québec)

Source:

CCOHS = Canadian Centre for Occupational Health and Safety




- Règlement 833 (Canada, Ontario)

- Règlement sur la santé et la sécurité du travail (Canada, Québec)



Specialized Fire Products

Solo Smoke Detector Tester

8.2 Exposure controls	
8.2.1 Appropriate engineering controls	Provide adequate ventilation.
8.2.2 Personal protection equipment	
Eye/ face protection	If eye contact is likely: Wear protective eyewear (goggles, face shield, or safety glasses).
	
Skin protection (Hand protection/ Other)	Wear suitable gloves if prolonged skin contact is likely. Gloves: Nitrile rubber, NBR.
	
Respiratory protection	No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN141 or EN405) may be appropriate.
	
Thermal hazards	Not applicable.
8.2.3 Environmental Exposure Controls	Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties	
Appearance	Aerosol.
Colour.	Colourless.
Odour	Characteristic.
Odour Threshold (ppm)	Not determined.
pH (Value)	Not determined.
Melting Point / Freezing Point	Not determined.
Initial boiling point and boiling range	-14.8°F (-26°C).
Flash Point	55.4°F (13°C).
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable; Tested to CFR 1910.1200 Appendix B – B.3
Upper/lower flammability or explosive limits	Explosive Limit Ranges: 2.0-12.0 Vol-%
Vapour pressure	60.7 psig (5.2 bar) @ 68°F
Density	70.67 lb/ft ³ (1.132 g/cm ³) @ 68°F
Vapour density	Not determined.
Relative density	Not determined.
Solubility(ies)	Immiscible with water.
Partition Coefficient (n-Octanol/water)	Not determined.
Ignition temperature	797°F (425°C)
Auto Ignition Point (°C)	Product is not selfigniting.
Decomposition Temperature (°C)	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	
Organic solvents - Content	14.8%

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Stable under normal conditions.
10.4 Conditions to avoid	Heat and direct sunlight.
10.5 Incompatible materials	None anticipated.
10.6 Hazardous decomposition product(s)	None known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
11.1.1 Mixtures	
Acute toxicity	Low acute toxicity.
Irritation	Causes serious eye irritation.
Corrosivity	Not classified.
Sensitization	It is not a skin sensitizer.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	None anticipated.
Aspiration hazard	None anticipated.
11.2 Other information	None.







SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Low toxicity to aquatic organisms.
12.2 Persistence and degradability	The product is readily biodegradable. Unlikely to persist.
12.3 Bioaccumulative potential	The product has moderate potential for bioaccumulation.
12.4 Mobility in soil	Immiscible with water. The product is predicted to have low mobility in soil.
12.5 Other adverse effects	None.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number ADR, IMDG, IATA	UN 1950.
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, Non-flammable.
14.3 Transport hazard class(es) ADR Class / Classification Label IMDG, IATA, TDG Class / Division Label	2 5A Gases. 2.2 2.2 2.2
14.4 Packing group ADR, IMDG, IATA, TDG	None.
14.5 Environmental hazards Marine Pollutant	None.
14.6 Special precautions for user Kemler Code IMDG EMS	Warning: Gases - F-D, S-U
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
14.8 Additional Information ADR Limited Quantity (LQ)	1L 
ADR Transport Category Tunnel Restriction Code	3 Not applicable in Limited Quantities.
IMDG Limited Quantity (LQ)	1L 
IATA Limited Quantity (LQ)	1L  
UN Model Regulation US	UN 1950, AEROSOLS ORM-D when transported in limited quantities (< 30kg or 66lb gross weight).



SECTION 15: REGULATORY INFORMATION

This product has been classified in accordance with HPR and the SDS contains all the information required by HPR.

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	Canadian Regulations	
	Domestic Substances List (DSL)	All chemicals listed
	Export Control List	All chemicals are not listed
	Priority Substances List (PSL)	All chemicals are not listed
	Toxic Substances List	All chemicals are not listed
	National Pollutant Release Inventory (NPRI)	Listed: Propan-2-ol (CAS No.: 67-63-0)
	Substance List	

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1

LEGEND

LTEL	Long Term Exposure Limit
PEL	Permissible Exposure Limits
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
OSHA	Occupational Safety and Health Administration
ORM-D	Other Regulated Materials for Domestic Transport Only
HPR	Hazardous Products Regulations
TDG	Transportation of Dangerous Goods

Disclaimers

The information is based on the best knowledge of SDI and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

Annex to the extended Safety Data Sheet (eSDS)

No information available.