





PRODUCT CATALOG

TEST & INSPECTION EQUIPMENT FOR THE
FIRE ALARM & LIFE SAFETY INDUSTRIES





PIONEERING THE WORLD OF TESTING TECHNOLOGY



100+ Staff

Located in the
USA, UK, Europe,
Middle East & Asia.



Global Leader

Products distributed
to 130+ countries
and counting.



25 Years of Solo

The complete range
for detector testing,
access, and removal.



15 Years of Testifire

The world's leading
all-in-one tool for
smoke, heat, and CO
detectors.



Partnerships

Approved by leading
detector manufacturers
and third parties.

CONTENTS

AEROSOLS	
BlowOut	16, 19
Smoke Centurion	12, 18, 19
SmokeSabre	13
Solo A10	12, 19
Solo C6	12
BEDROCK	
AM100 Class 1/Type 1 Meter	25
BTB115 Advanced Talkbox	24
BTB65 Talkbox	24
SM50 Meter	25
Speech Intelligibility Test Kits	24
CHECKER	
Cell Checker	22, 19
dB Checker	23, 19
Duct Checker	22, 19
Power Checker	22
SCORPION	
Scorpion Point Tester Scorpion	20, 21
ASD Tester Scorpion Portable	20, 21
Controller	20, 21
SOLO ACCESS POLES	
Solo 100 4-Section Telescopic	17, 7, 9, 11, 15, 18, 19
Solo 108 2-Section Telescopic	17, 18
Solo 101 Extension Pole	17, 7, 9, 11, 18, 19

SOLO HEAD UNITS	
Solo 200 Removal Tool	16, 18, 19
Solo 330 Dispenser	12, 18, 19
Solo 332 Dispenser	12, 18, 19
Solo 365 Smoke Tester	10, 11
Solo 460 Cordless Heat Tester	14, 18, 19
SOLO SPARES & ACCESSORIES	
Solo 365 Smoke Cartridges	10, 11
Solo 372 ASD Adapter	11
Solo 610 Protective Bag	17, 9, 11, 18, 19
SOLO TEST KITS	
All Purpose Solo Test Kits	18, 19
Solo 365 Test Kits	11
Solo 461 Heat Test Kit	14, 18, 19
XTR2	
XTR2	4, 5, 6, 7
XTR2 Kits	7
TESTIFIRE	
Testifire 2000	8, 9
Testifire Test Kits	9
Spares & Accessories	8
TRUTEST	
Trutest	15, 19
Trutest Accessories	15
Trutest Kits	15, 19

BY APPLICATION:


SMOKE TESTING	
Scorpion	20, 21
Smoke Centurion	12, 18, 19
SmokeSabre	13
Solo 330/332 Dispenser	12, 18, 19
Solo 365	10, 11
Solo A10	12, 19
Testifire	8, 9
XTR2	4, 5, 6, 7
HEAT TESTING	
Solo 460	14, 18, 19
Testifire	8, 9
XTR2	4, 5, 6
CO TESTING	
Solo C6	12
Solo 330/332 Dispenser	12, 18, 19
Testifire	8, 9
MULTI-SENSOR TESTING	
Testifire	8, 9
XTR2	4, 5, 6, 7
ASD TESTING	
Scorpion	20, 21
Solo 365	10, 11
XTR2	4, 5, 6
SENSITIVITY TESTING	
Trutest	15, 19
ALARM COMPONENT TESTING	
Cell Checker	19, 22
dB Checker	19, 22
Duct Checker	22
Power Checker	23
SPEECH INTELLIGIBILITY TESTING	
Bedrock AM100	25
Bedrock BTB65 Talkbox	24
Bedrock BTB115 Advanced Talkbox	24
Bedrock SM50	25
DETECTOR REMOVAL & CLEANING	
BlowOut	16, 19
Solo 200	16, 18, 19



GET POWERFUL INSIGHTS WITH AUTOMATED TEST REPORTS AND RECORDS

XTR2 combines testing and reporting to provide insights on the detectors being tested. During testing, XTR2 senses the detector LED to confirm the test result – automating the recording of results and pushing the data into a customized report. By working alongside the DT Connect app, XTR2 equips users with premium features that streamline the testing process, manage site assets, and optimize reports. The cloud portal gives an instant overview of work carried out, making it easy to share inspection reports with clients and gain insight on the status of the XTR2 units being used.

- ▶ All-in-one smoke and heat testing
- ▶ Automated pass or fail record
- ▶ Record and identify the device type, location, and address on-site
- ▶ Select panel type and record addressable panel time for fire panel verification
- ▶ Match your device inspection results against the fire panel event log
- ▶ Link to cloud for inspection results and reporting
- ▶ Upload your logo to appear on all reports
- ▶ Check XTR2 smoke levels, battery charge, and generator life



DT CONNECT

			FREE	PREMIUM*
App	Test New Site	Job creation for a new site	☒	☒
	XTR2 Test Result Capture	Capture test results from XTR2 in the app	☒	☒
	Hardware Configuration	Ability to configure XTR2 in the app (e.g. Test mode)	☒	☒
	Visual Check Mode	Test detectors using visual inspection	☒	☒
	Device Firmware Updates	Your device is upgraded with continuous improvements	☒	☒
	Test Existing Site	Job creation for an existing site	☐	☒
	Site Asset List	Asset list stored and maintained in the web portal	☐	☒
	Asset Creation	Ability to enter location details to create an asset	☐	☒
	Asset Filter	Filter assets by Type, Zone & Loop	☐	☒
	Panel Verification	Check test results against Fire Panel event log	☐	☒
Web Portal	PDF Report Generation	Generate a PDF report of a job for proof of testing	☐	☒
	CSV Asset Upload	Easily transfer asset lists using our CSV template	☐	☒
	Report Sharing & Download	Easily share your professional report with your client	☐	☒

DT Connect Premium features, including the sharable test report PDF, are free for an initial trial period after you register a new XTR2. A subscription to DT Connect charged per month, per device is required to keep using them beyond the trial period.

*Free Trial

ENGINEERED FOR PROOF OF TESTING

Our latest test solution - XTR2, combines testing and reporting by automatically generating digital reports that provide test insights.

XTR2

XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2



Includes:

1x XTR2 Head Unit
1x TES3 Smoke Cartridge
1x Testifire-BP Li-ion Battery
1x Testifire-CHAK Charger Kit
1x Testifire-GEN Smoke Generator



XTR2 uses non-hazardous, non-pressurized cartridges to generate smoke.

All consumables, spares, and accessories are available.

Accessories

Replacement Smoke Cartridge
TES3

Replacement Smoke Generator
TESTIFIRE-GEN-024

Lithium Ion Battery Pack
TESTIFIRE-BP

ASD Adaptor
TESTIFIRE-ADAP

Membrane (140mm)
TESTIFIRE-MEML

XL Membrane (162mm)
TESTIFIRE-MEMXL

Vehicle Power Supply Unit
TESTIFIRE-CPSU

Charger Cradle
TESTIFIRE-CHA

Charger Kit
TESTIFIRE-CHAK

Cup Membrane
TESTIFIRE-MEM

XTR2 TEST & MAINTENANCE KITS



XTR2

XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2-20F



Includes:

- 1x XTR2 Smoke/Heat Test Kit
- 1x Solo 100 15 t 4-Section Telescopic Pole
- 1x Solo 200 Detector Removal Tool
- 1x Solo 610 Protective Storage Bag

XTR2

XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2-30F



Includes:

- 1x XTR2 Smoke/Heat Test Kit
- 1x Solo 100 15 t 4-Section Telescopic Pole
- 3x Solo 101 4 t Extension Pole
- 1x Solo 200 Detector Removal Tool
- 1x Solo 610 Protective Storage Bag



XTR2

SMART XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2-SMART

Includes:

- 1x XTR2 Smoke/Heat Test Kit
- 1x Solo 110 Smart 5.75 4-Section Telescopic Pole
- 3x Solo 111 Smart 1.65 t Extension Poles
- 1x SMART Backpack & Pole Bag



TESTIFIRE MULTICRITERIA DETECTOR TESTER

Testifire is the world's leading multicriteria detector tester. The all-in-one Testifire allows for faster and more efficient testing of both single and multi-sensor detectors. Testifire can deliver each stimulus individually or all three stimuli simultaneously, increasing productivity and lowering the overall testing time by up to 66%. A built-in clearing cycle provides rapid detector reset with no repeat alarms.



TESTIFIRE SMOKE, HEAT AND CO TEST KIT

TF2001



Includes:

- 1x Testifire 2000 Head Unit
- 1x TS1 Smoke Capsule
- 1x TC1 CO Capsule
- 1x Solo 727 Battery Charger
- 2x Solo 770 Battery Batons

Testifire Accessories & Spare Parts

Smoke Capsules	TS3
CO Capsules	TC3
Battery Baton	SOLO770
Battery Charger	SOLO727
Testifire Inner Cup	SPARE1048
Testifire Membrane Bellows	SPARE1049
Testifire Remote Control	TF25
Testifire USB Cable	SPARE1047

SMOKE, HEAT & CO DETECTOR TESTING KIT

24FT
REACH

TF2851



Includes:

- Testifire 2001 Smoke, Heat & CO Kit
- 1x Solo 100 15' Access Pole
- 1x Solo 101 4' Extension Pole
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag

SMOKE, HEAT & CO DETECTOR TESTING KIT

TF2823



30FT
REACH

Includes:

- Testifire 2001 Smoke, Heat & CO Kit
- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Poles
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag



ELECTRONIC TESTERS

The Solo 365 Electronic Smoke Detector Tester, uses non-hazardous, non-pressurized, environmentally-friendly cartridge technology for smoke generation. It allows for faster testing and creates less smoke waste with an auto-start proximity sensor that automatically generates smoke when the detector enters the cup. Using a unique clearing mode, the Solo 365 eliminates repeat alarms by clearing any remaining smoke.





SOLO 365 ASD ADAPTOR

SOLO372



Solo 372 transforms your 365 into an ASD detector tester. Easily fitted to allow for the functional testing of ASD systems.

Solo 365 Accessories & Spare Parts

ASD Adaptor	Solo 372
Smoke Cartridge (6pack)	SOLOES6
Battery Pack	SOLO370
Smoke Generator	SOLO371
Cup & Membrane	SPARE1058
Membrane	SPARE1059
Universal Charger/USB Cable	SPARE1060



COMPACT SMOKE TESTING KIT

SMART365



Includes:

- 1x Smart Kit Backpack (with pole bag attachment)
- 1x Solo 365 Electronic Smoke Detector Tester
- 1x Solo 110 Smart 5.75' Telescopic Pole
- 3x Solo 111 Smart 1.65' Extension Poles



ELECTRONIC SMOKE TESTING KIT

SOLO900



Includes:

- 1x Solo 365 Electronic Smoke Detector Tester
- 1x Solo 610 Carrying Bag
- Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Poles
- 1x Solo 200 Removal Tool



DISPENSERS & AEROSOLS

The most widely used system for the last 20 years. Solo 330 is universal, lightweight, and simple to use. The dispenser works with Solo A10 and Smoke Centurion (M8) for the functional testing of smoke detector testers.

Use with Solo C6 for fast and effective testing of CO detectors.

Available in two sizes:

Solo 330/332 Spare Parts

Replacement Red Cup (Solo 330 only)
SPARE1028

Silicone Membrane
SPARE1005



SOLO 330 AEROSOL DISPENSER

SOL0330

Suitable for detectors with diameters up to 4in.



SOLO 332 AEROSOL DISPENSER

SOL0332

Suitable for detectors with diameters up to 7in.



SMOKE CENTURION

M8



Aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. No CFC's and low GWP Propellant. Sold in cases of 12.



SOLO A10 AEROSOL SMOKE

SOLOA10



Non-flammable aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. Sold in cases of 12.



SOLO C6 AEROSOL CO

SOLOC6



Non-flammable aerosol CO for the functional testing of CO detectors. For use by hand or with a dispenser (Solo 330/332). Sold in cases of 12.





PERFECT FOR
SMALLER JOBS!



SMOKESABRE HAND-HELD AEROSOL

SABRE



The ultimate hand-held smoke detector tester.

The built-in 'Sabre' makes the product unique compared to other hand-held smoke test sprays - preventing use too close to the detector, which could lead to damage and nuisance alarms. SmokeSabre is the ideal backup for your complete test and maintenance kit or perfect as a test solution for small jobs or infrequent testing. Sold in cases of 12.



HEAT DETECTOR TESTING



SOLO 460 CORDLESS HEAT DETECTOR TESTER

SOLO460



The industry's leading standalone heat detector tester. The battery-powered Solo 460 is lightweight and easy to use. Suitable for fixed temperature, rate-of-rise, and combination detectors.

Contact us for the Solo 423/424 Corded Heat Detector Tester.



SOLO 461 HEAT DETECTOR TEST KIT

SOLO461



- Includes:
- 1x Solo 460 Cordless Heat Head Unit
 - 2x Solo 770 Battery Batons
 - 1x Solo 727 Charger



Solo 461 Accessories & Spare Parts

Battery Baton	SOLO770
Battery Charger	SOLO727
Silicone Membrane	SPARE1005
Heat Baffle	BAFFLE

DETECTOR SENSITIVITY TESTING



TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

TT801



Over time, smoke detector sensitivity can drift, becoming more or less sensitive. This fluctuation in sensitivity can cause the alarm to function ineffectively. Using detector testers to check the sensitivity of fire alarms is not only required by law but also provides greater control over the sensitivity of the fire alarms you're inspecting.

Trutest combines functional and sensitivity testing in one convenient package. With only one test, Trutest reads the precise detector sensitivity, indicating whether the detector needs to be recalibrated or replaced.



SMOKE 400 AEROSOL SMOKE DETECTOR TESTER

SMOKE400



Smoke 400 is a non-flammable aerosol used with the Trutest 801 to test the detector sensitivity of ionization or photoelectric smoke detectors. Sold with Trutest in the 800 Kit or available separately in cases of 12.

Trutest Accessories

Pole Clamp

TRUT730


TRUTEST SMOKE DETECTOR SENSITIVITY TEST KIT

TT800



Includes:

- 1x Trutest 801 Smoke Detector Sensitivity Tester
- 12x Trutest Smoke 400 Detector Test Aerosol Canisters
- 1x Storage Case and Pole Bag
- 1x Solo 100 15' Telescopic Access Pole



REMOVAL & CLEANING



SOLO 200 UNIVERSAL REMOVAL TOOL

SOLO200

The Solo 200's universal design can accommodate the installation and removal of the widest range of detectors.

Color-coded heads rotate to provide a combination of sizes and settings to suit detectors of varying sizes and shapes. *Lifetime limited warranty.*

Solo 200 Spare Parts

Transparent Grips

SPARE1002



BLOWOUT DETECTOR DUSTER

BLOWOUT



BlowOut hand-held air duster is perfect for use with fire alarm equipment. BlowOut comes with a directional straw, allowing access to hard to reach areas. BlowOut 10oz cans are sold in cases of 12.



HOW HIGH ARE YOU TESTING?



SOLO 100 15' TELESCOPIC ACCESS POLE

SOLO100



20 ft Reach

Specifications:

- Extends from 4.8ft to 14.9ft in four sections, allowing access to approximately 20ft.
- Collapsed length: 52"
- Add up to three extension poles to reach approximately 30ft.
- *Lifetime limited warranty*



SOLO 108 8' TELESCOPIC ACCESS POLE

SOLO108



12 ft Reach

Specifications:

- Extends from 4ft to 7.2ft.
- Collapsed length: 52"
- Add up to three extension poles to reach approximately 26ft.
- *Lifetime limited warranty*



SOLO 101 4' EXTENSION POLE

SOLO101



9 ft Reach

Specifications:

- Measures 3.9ft in length
- Can be used on its own or in combination with the Solo 100 or Solo 108 Access Poles
- *Lifetime limited warranty*



PROTECTIVE STORAGE & POLE BAG

SOLO610

To keep your Testifire and poles protected, add the Solo 610 protective carrying and storage bag.



SOLO TEST & MAINTENANCE KITS

SMOKE STARTER KIT



Includes:

- 1x Solo 100 15' Access Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag



20FT
REACH



12FT
REACH

SMOKE STARTER KIT



Includes:

- 1x Solo 108 8' Access Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag

SMOKE STARTER KIT




Includes:

- 1x Solo 101 4' Extension Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag



10FT
REACH

SMOKE, HEAT & CO TECHNICIAN KIT



24FT
REACH

Includes:

- 1x Solo 100 15' Access Pole
- 1x Solo 101 4' Extension Pole
- 1x Solo 200 Universal Removal Tool
- 1x Solo 330 Dispenser
- 1x Solo 460 Heat Detector Tester
- 1x Solo 727 Battery Charger
- 2x Solo 770 Battery Batons
- 1x Solo 610 Carrying Bag



SMOKE, HEAT & CO ENHANCED TECHNICIAN KIT

SOL0823



30FT
REACH

Includes:

- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Pole
- 1x Solo 200 Universal Removal Tool
- 1x Solo 330 Dispenser
- 1x Solo 460 Heat Detector Tester
- 1x Solo 727 Battery Charger
- 2x Solo 770 Battery Batons
- 1x Solo 610 Carrying Bag



SOLUTIONS FOR TESTING POINT & ASD SYSTEMS

Testing hard-to-access smoke detectors? Scorpion is the solution for buildings with hard-to-access detectors. Suitable for both Point and Aspirating Smoke Detection (ASD) systems, Scorpion ensures all smoke detectors can be tested - regardless of location.

Detectors in hard-to-access locations still need to be tested, and this can take not only additional time but incur additional costs and personnel downtime. Scorpion suits a wide range of applications.





SCORPION POINT SMOKE DETECTOR TESTER

SCORP1011



The Scorpion 1011 head unit is permanently installed alongside a smoke detector, testing is then initiated from a hand-held controller via a conveniently sited access point.

Includes:

- 1x Scorp 1001-001 Point Head Unit & Mounting Bracket
- 1x Scorp 25-001 Access Point



SCORPION ASD SYSTEM TESTER

SCORP2011



The Scorpion head unit is permanently mounted adjacent to a sampling point on an ASD system pipe - typically at the end of the run. Just one unit is required for each pipe run - regardless of the number of sampling points.

Includes:

- 1x Scorp 2001-001 Point Head Unit & Mounting Bracket
- 1x Scorp 25-001 Access Point



ENGINEERS PORTABLE CONTROLLER

SCORP7000



The portable controller connects to a Scorpion Access Point to enable smoke generation and testing. Powered via a Solo 770 Battery Baton*

*Available separately

ALARM COMPONENT TESTERS

Cell Checker Accessories

Padded Case

CELL01CS

48" Plier-Type Lead

CELL01LD

48" Clip-Type Lead

CELL01RL

Accessory Kit (Case & Strap)

CELLPAC



checker™
ALARM COMPONENT TESTERS

CELL CHECKER

CELLO3



Cell Checker utilizes pulse load technology to provide a comprehensive test of a battery's state of charge and condition. Rather than simply displaying a voltage reading, Cell Checker determines a battery's remaining power capacity by measuring its ability to maintain voltage levels while under load.

Use Cell Checker to test the performance of 2- to 12-volt batteries up to 200AH. Cell Checker also tests SLA batteries.



checker™
ALARM COMPONENT TESTERS

POWER CHECKER

PC01



Power Checker uses a patented, high-accuracy pulse load test to provide a comprehensive means of testing the state of charge or state of power for more than 30 primary (non-rechargeable) and rechargeable battery types, including NiMH, Li-Ion, alkaline, lithium, coin cell, button type and more. This microprocessor-controlled unit is designed for commercial or home use.



checker™
ALARM COMPONENT TESTERS

DUCT CHECKER

DUCT01



Duct Checker is ideal for annual testing to ensure that the duct detector will sample the differential pressure via the sampling tubes, as required by NFPA 72. Duct Checker is manufacturer-approved, easy to use, and ensures accurate results.



checker™
ALARM COMPONENT TESTERS

dB CHECKER

DB01



The ideal tool for measuring the sound pressure levels for audible alarm notification appliances as mandated by the National Fire Alarm & Signaling Code. dB01 supports A to C frequency weighting.

Specifications:

- Meets IEC651 Type 2 and ANSI S1.4 Type 2 Standards
- Conforms to NFPA 72
-



SPEECH INTELLIGIBILITY TESTING

Having an effective and accurate fire safety system is equally as important as having reliable testing tools to ensure that it is functioning properly. Voice evacuation alarms need specific testing tools to ensure clear communication. SDi proudly offers Bedrock speech intelligibility testing solutions for use with emergency voice systems.



TALKBOX

BTB65



The BTB65 Talkbox is a calibrated acoustic signal source for taking STIPA measurements and more. It can play test signals through its built-in loudspeaker, or you can use the line-out feature to play the test signals through other devices. Includes a hard case.

- Easy to use touch screen
- Loudspeaker frequency range 20 – 15,000 Hz
- Plays back signal at a standardized (calibrated) signal level of 54-72 dB(A) at 1m
- Signal level can be increased/decreased relative to the environment



ADVANCED TALKBOX

BTB115



The Bedrock BTB115 is an advanced acoustic signal generator that supports a variety of test signals, including STIPA and full STI. Designed to match a human talker in terms of directivity pattern and other characteristics, the BTB115 Advanced Talkbox removes the hassle of creating a calibrated test setup.

- 3 Capacitive touch displays
- Effective frequency range 80-16,000 Hz
- Playback of user-uploaded signals calibrated on-the-fly through the powerful internal DSP.
- Integrated class 2 laser pointer and laser distance meter (range 0.03-1.50m). SPL at the test position is calculated from the distance.
- Wireless control via WiFi or Bluetooth

Accessories

Custom Hard Case

SMBTBCS



INTELLIGIBILITY MEASUREMENT KIT

SMBTBKT



Includes:
SM50 STIPA Meter
BTB65 Talkbox
Custom Hard Case



CLASS 1 MEASURING INSTRUMENT

AM100



The Bedrock AM100 is our most advanced class 1 / type 1 acoustic measuring instrument. It includes all the functionality of the Bedrock SM90 and more but has higher specs all around (such as more storage, a better display, and integrated wireless connectivity).

- Conforms to IEC651 Type 2, ANSI S1.4 Type 2
- Complies with NFPA 72 – 2013, ANNEX D



SPEECH INTELLIGIBILITY TESTER

SM50



Bedrock SM50 is a versatile speech intelligibility tester for fire safety systems. It has a user-friendly touch screen for easy control and can measure both STIPA and full STI. Features include RTA, FFT, Reverberation Time, Noise Curves, and more. It also has a USB port for quick connectivity and includes a hard case.

- Conforms to IEC651 Type 2, ANSI S1.4 Type 2
- Complies with NFPA 72 – 2013, ANNEX D



SERVICE

In addition to providing the best fire and life safety equipment in the industry, SDi also services, maintains, and provides support for all our products. With more than 20 years of combined experience, our service staff has the knowledge and skills necessary to keep your equipment performing at its best with minimal downtime. SDi's trained technicians are also available to provide convenient telephone support as well as online training.

SDi's Service Department honors all warranty work, performs routine equipment maintenance and calibration, and can correct problems that may arise with your testing equipment in an efficient, precise, and timely manner

Our services include:

- Preventative maintenance to extend the life of your equipment and reduce costly repairs
- Routine maintenance to keep your equipment operating at peak efficiency
- Repair and calibration services for:
 - Trutest
 - Cell Checker
 - dB Checker
 - SM50 & BTB65 Talkbox


For service inquiries, please contact our service team at 732-751-9266 or email service@sdifire.com



SCAN FOR PRODUCT SUPPORT
& TRAINING VIDEOS



SDi SALES TERRITORIES



Northeast Region **TJ Haluska**

tj.haluska@sdifire.com
Phone: (732) 810-6667



Southeast Region **Cordell Vincent**

cordell.vincent@sdifire.com
Phone: (321) 693-6916



Midwest Region **Andrea Barghini**

andrea.barghini@sdifire.com
Phone: (312) 402-4550



Southern Region **Doug O'Brien**

doug.obrien@sdifire.com
Phone: (979) 837-9949



Northwest Region **Mariana Ferguson**

mariana.ferguson@sdifire.com
Phone: (208) 982-2479



Southwest Region **Nick Gor**

nick.gor@sdifire.com
Phone: (714) 475-3195



SDi, LLC

3535 Highway 66, Building 6, Neptune, NJ 07753
732-751-9266 | www.sdifire.com | sales@sdifire.com

©2024 SDi. All rights reserved.

Connect with us

