





# PRODUCT CATALOG

TEST & INSPECTION EQUIPMENT FOR THE  
FIRE ALARM & LIFE SAFETY INDUSTRIES





# PIONEERING THE WORLD OF TESTING TECHNOLOGY



## 100+ Staff

Located in the USA, UK, Europe, Middle East & Asia.



## Global Leader

Products distributed to 130+ countries and counting.



## 25 Years of Solo

The complete range for detector testing, access, and removal.



## 15 Years of Testifire

The world's leading all-in-one tool for smoke, heat, and CO detectors.



## Partnerships

Approved by leading detector manufacturers and third parties.

# CONTENTS

## AEROSOLS

BlowOut	16, 19
Smoke Centurion	12, 18, 19
SmokeSabre	13
Solo A10	12, 19
Solo C6	12

## BEDROCK

AM100 Class 1/Type 1 Meter	25
BTB115 Advanced Talkbox	24
BTB65 Talkbox	24
SM50 Meter	25
Speech Intelligibility Test Kits	24

## CHECKER

AV Checker	23
Cell Checker	22, 19
dB Checker	22, 19
Duct Checker	23, 19
Power Checker	22

## SCORPION

Scorpion Point Tester	20, 21
Scorpion ASD Tester	20, 21
Scorpion Portable Controller	20, 21

## SOLO ACCESS POLES

Solo 100 4-Section Telescopic	17, 7, 9, 11, 15, 18, 19
Solo 108 2-Section Telescopic	17, 18
Solo 101 Extension Pole	17, 7, 9, 11, 18, 19

## SOLO HEAD UNITS

Solo 200 Removal Tool	16, 18, 19
Solo 330 Dispenser	12, 18, 19
Solo 332 Dispenser	12, 18, 19
Solo 365 Smoke Tester	10, 11
Solo 460 Cordless Heat Tester	14, 18, 19

## SOLO SPARES & ACCESSORIES

Solo 365 Smoke Cartridges	10, 11
Solo 372 ASD Adapter	11
Solo 610 Protective Bag	17, 9, 11, 18, 19

## SOLO TEST KITS

All Purpose Solo Test Kits	18, 19
Solo 365 Test Kits	11
Solo 461 Heat Test Kit	14, 18, 19

## TESTIFIRE XTR2

Testifire XTR2	4, 5, 6, 7
Testifire XTR2 Kits	7

## TESTIFIRE

Testifire 2000	8, 9
Testifire Test Kits	9
Spares & Accessories	8

## TRUTEST

Trutest	15, 19
Trutest Accessories	15
Trutest Kits	15, 19

## BY APPLICATION:

### SMOKE TESTING

Scorpion	20, 21
Smoke Centurion	12, 18, 19
SmokeSabre	13
Solo 330/332 Dispenser	12, 18, 19
Solo 365	10, 11
Solo A10	12, 19
Testifire	8, 9
Testifire XTR2	4, 5, 6, 7

### HEAT TESTING

Solo 460	14, 18, 19
Testifire	8, 9
Testifire XTR2	4, 5, 6

### CO TESTING

Solo C6	12
Solo 330/332 Dispenser	12, 18, 19
Testifire	8, 9

### MULTI-SENSOR TESTING

Testifire	8, 9
Testifire XTR2	4, 5, 6, 7

### ASD TESTING

Scorpion	20, 21
Solo 365	10, 11
Testifire XTR2	4, 5, 6

### SENSITIVITY TESTING

Trutest	15, 19
---------	--------

### ALARM COMPONENT TESTING

AV Checker	23
Cell Checker	19, 22
dB Checker	19, 22
Duct Checker	23
Power Checker	22

### SPEECH INTELLIGIBILITY TESTING

Bedrock AM100	25
Bedrock BTB65 Talkbox	24
Bedrock BTB115 Advanced Talkbox	24
Bedrock SM50	25

### DETECTOR REMOVAL & CLEANING


BlowOut	16, 19
Solo 200	16, 18, 19



## GET POWERFUL INSIGHTS WITH AUTOMATED TEST REPORTS AND RECORDS

Testifire XTR2 combines testing and reporting to provide insights on the detectors being tested. During testing, Testifire XTR2 senses the detector LED to confirm the test result – automating the recording of results and pushing the data into a customized report. By working alongside the DT Connect app, Testifire XTR2 equips users with premium features that streamline the testing process, manage site assets, and optimize reports. The cloud portal gives an instant overview of work carried out, making it easy to share inspection reports with clients and gain insight on the status of the Testifire XTR2 units being used.

- ◆ All-in-one smoke and heat testing
- ◆ Automated pass or fail record
- ◆ Record and identify the device type, location, and address on-site
- ◆ Select panel type and record addressable panel time for fire panel verification
- ◆ Match your device inspection results against the fire panel event log
- ◆ Link to cloud for inspection results and reporting
- ◆ Upload your logo to appear on all reports
- ◆ Check Testifire XTR2 smoke levels, battery charge, and generator life



# TESTIFIRE XTR2 & DT CONNECT FEATURES



DT CONNECT  
FREE



DT CONNECT  
PREMIUM

Key Features	<b>CONSUMABLE STATUS</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>ASD COMPATIBILITY</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>AUTO-ALARM RECOGNITION</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>LED RECOGNITION MODES</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>AUTOMATIC LIGHT</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Support	<b>WARRANTY</b>	<b>1 YEAR</b>	<b>2 YEARS</b>	<b>2 YEARS</b>
	<b>FIRMWARE UPDATES</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>MANUAL PURGE</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
DT Connect	<b>DEVICE MANAGEMENT</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>INSPECTION CREATION</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>TEST RESULT CAPTURE</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>VIEW ALL INSPECTION HISTORY</b>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	<b>PANEL SETUP</b>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
	<b>ASSET CREATION</b>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
	<b>PANEL VERIFICATION</b>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
	<b>CLIENT SIGNATURE CAPTURE</b>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
	<b>INSPECTION REPORT PDF</b>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
<b>REPORT SHARING &amp; DOWNLOAD</b>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	

# ENGINEERED FOR PROOF OF TESTING

Our latest test solution - Testfire XTR2, combines testing and reporting by automatically generating digital reports that provide test insights.



## TESTIFIRE XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2



### Includes:

- 1x Testfire XTR2 Head Unit
- 1x TES3 Smoke Cartridge
- 1x Testfire-BP Li-ion Battery
- 1x Testfire CHAK Charger Kit
- 1x Testfire-GEN Smoke Generator



Testfire XTR2 uses non-hazardous, non-pressurized cartridges to generate smoke.

All consumables, spares, and accessories are available.

### Accessories

Replacement Smoke Cartridge  
**TES3**

Replacement Smoke Generator  
**TESTIFIRE-GEN-024**

Lithium Ion Battery Pack  
**TESTIFIRE-BP**

ASD Adaptor  
**TESTIFIRE-ADAP**

Membrane (140mm)  
**TESTIFIRE-MEML**

XL Membrane (162mm)  
**TESTIFIRE-MEMXL**

Vehicle Power Supply Unit  
**TESTIFIRE-CPSU**

Charger Cradle  
**TESTIFIRE-CHA**

Charger Kit  
**TESTIFIRE-CHAK**

Cup Membrane  
**TESTIFIRE-MEM**

# TESTIFIRE XTR2 TEST & MAINTENANCE KITS



## TESTIFIRE XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2-20F



- Includes:**  
 1x Testifire XTR2 Smoke/Heat Test Kit  
 1x Solo 100 15ft 4-Section Telescopic Pole  
 1x Solo 200 Detector Removal Tool  
 1x Solo 610 Protective Storage Bag



## TESTIFIRE XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2-30F



- Includes:**  
 1x Testifire XTR2 Smoke/Heat Test Kit  
 1x Solo 100 15ft 4-Section Telescopic Pole  
 3x Solo 101 4ft Extension Pole  
 1x Solo 200 Detector Removal Tool  
 1x Solo 610 Protective Storage Bag



## SMART TESTIFIRE XTR2 SMOKE/HEAT TEST KIT

TESTIFIRE-XTR2-SMART

- Includes:**  
 1x Testifire XTR2 Smoke/Heat Test Kit  
 1x Solo 110 Smart 5.75 4-Section Telescopic Pole  
 3x Solo 111 Smart 1.65ft Extension Poles  
 1x SMART Backpack & Pole Bag



# TESTIFIRE MULTICRITERIA DETECTOR TESTER

Testifire is the world's leading multicriteria detector tester. The all-in-one Testifire allows for faster and more efficient testing of both single and multi-sensor detectors. Testifire can deliver each stimulus individually or all three stimuli simultaneously, increasing productivity and lowering the overall testing time by up to 66%. A built-in clearing cycle provides rapid detector reset with no repeat alarms.



## TESTIFIRE SMOKE, HEAT AND CO TEST KIT

TF2001



### Includes:

- 1x Testifire 2000 Head Unit
- 1x TS1 Smoke Capsule
- 1x TC1 CO Capsule
- 1x Solo 727 Battery Charger
- 2x Solo 770 Battery Batons

### Testifire Accessories & Spare Parts

Smoke Capsules	TS3
CO Capsules	TC3
Battery Baton	SOLO770
Battery Charger	SOLO727
Testifire Inner Cup	SPARE1048
Testifire Membrane Bellows	SPARE1049
Testifire Remote Control	TF25
Testifire USB Cable	SPARE1047

## SMOKE, HEAT & CO DETECTOR TESTING KIT

24FT  
REACH

TF2851



24 ft  
Reach



### Includes:

- Testfire 2001 Smoke, Heat & CO Kit
- 1x Solo 100 15' Access Pole
- 1x Solo 101 4' Extension Pole
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag

## SMOKE, HEAT & CO DETECTOR TESTING KIT

TF2823



30 ft  
Reach

30FT  
REACH



### Includes:

- Testfire 2001 Smoke, Heat & CO Kit
- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Poles
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag



# ELECTRONIC TESTERS

The Solo 365 Electronic Smoke Detector Tester, uses non-hazardous, non-pressurized, environmentally-friendly cartridge technology for smoke generation. It allows for faster testing and creates less smoke waste with an auto-start proximity sensor that automatically generates smoke when the detector enters the cup. Using a unique clearing mode, the Solo 365 eliminates repeat alarms by clearing any remaining smoke.



## SOLO 365 ELECTRONIC SMOKE DETECTOR TESTER

SOL0365



### Includes:

- 1x Solo 365 Smoke Detector Tester
- 1x Solo ES1 Smoke Cartridge
- 1x Solo 371 Smoke Generator
- 1x 370 Lithium Ion Battery Pack
- 1x USB Universal Charger





## SOLO 365 ASD ADAPTOR

SOLO372



Solo 372 transforms your 365 into an ASD detector tester. Easily fitted to allow for the functional testing of ASD systems.

### Solo 365 Accessories & Spare Parts

ASD Adaptor	Solo 372
Smoke Cartridge (6pack)	SOLOES6
Battery Pack	SOLO370
Smoke Generator	SOLO371
Cup & Membrane	SPARE1058
Membrane	SPARE1059
Universal Charger/USB Cable	SPARE1060



16FT REACH



## COMPACT SMOKE TESTING KIT

SMART365



16 ft Reach

### Includes:

- 1x Smart Kit Backpack (with pole bag attachment)
- 1x Solo 365 Electronic Smoke Detector Tester
- 1x Solo 110 Smart 5.75' Telescopic Pole
- 3x Solo 111 Smart 1.65' Extension Poles



## ELECTRONIC SMOKE TESTING KIT

SOLO900



30 ft Reach



30FT REACH

### Includes:

- 1x Solo 365 Electronic Smoke Detector Tester
- 1x Solo 610 Carrying Bag
- Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Poles
- 1x Solo 200 Removal Tool

# DISPENSERS & AEROSOLS

The most widely used system for the last 20 years. Solo 330 is universal, lightweight, and simple to use. The dispenser works with Solo A10 and Smoke Centurion (M8) for the functional testing of smoke detector testers.

Use with Solo C6 for fast and effective testing of CO detectors.

Available in two sizes:

## Solo 330/332 Spare Parts

Replacement Red Cup (Solo 330 only)  
**SPARE1028**

Silicone Membrane  
**SPARE1005**



## SOLO 330 AEROSOL DISPENSER

**SOL0330**

Suitable for detectors with diameters up to 4in.



## SOLO 332 AEROSOL DISPENSER

**SOL0332**

Suitable for detectors with diameters up to 7in.



## SMOKE CENTURION

**M8**



Aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. No CFC's and low GWP Propellant. Sold in cases of 12.



## SOLO A10 AEROSOL SMOKE

**SOLOA10**



Non-flammable aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. Sold in cases of 12.



## SOLO C6 AEROSOL CO

**SOLOC6**



Non-flammable aerosol CO for the functional testing of CO detectors. For use by hand or with a dispenser (Solo 330/332). Sold in cases of 12.



## SMOKESABRE HAND-HELD AEROSOL



The ultimate hand-held smoke detector tester.

The built-in 'Sabre' makes the product unique compared to other hand-held smoke test sprays - preventing use too close to the detector, which could lead to damage and nuisance alarms. SmokeSabre is the ideal backup for your complete test and maintenance kit or perfect as a test solution for small jobs or infrequent testing. Sold in cases of 12.

PERFECT FOR  
SMALLER JOBS!



# HEAT DETECTOR TESTING



## SOLO 460 CORDLESS HEAT DETECTOR TESTER

SOLO460



The industry's leading standalone heat detector tester. The battery-powered Solo 460 is lightweight and easy to use. Suitable for fixed temperature, rate-of-rise, and combination detectors.

Contact us for the Solo 423/424 Corded Heat Detector Tester.



## SOLO 461 HEAT DETECTOR TEST KIT

SOLO461



### Includes:

- 1x Solo 460 Cordless Heat Head Unit
- 2x Solo 770 Battery Batons
- 1x Solo 727 Charger

### Solo 461 Accessories & Spare Parts

Battery Baton	SOLO770
Battery Charger	SOLO727
Silicone Membrane	SPARE1005
Heat Baffle	BAFFLE



# DETECTOR SENSITIVITY TESTING



## TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

TT801



Over time, smoke detector sensitivity can drift, becoming more or less sensitive. This fluctuation in sensitivity can cause the alarm to function ineffectively. Using detector testers to check the sensitivity of fire alarms is not only required by law but also provides greater control over the sensitivity of the fire alarms you're inspecting.

Trutest combines functional and sensitivity testing in one convenient package. With only one test, Trutest reads the precise detector sensitivity, indicating whether the detector needs to be recalibrated or replaced.



## SMOKE 400 AEROSOL SMOKE DETECTOR TESTER

SMOKE400



Smoke 400 is a non-flammable aerosol used with the Trutest 801 to test the detector sensitivity of ionization or photoelectric smoke detectors. Sold with Trutest in the 800 Kit or available separately in cases of 12.

### Trutest Accessories

Pole Clamp

TRUT730


## TRUTEST SMOKE DETECTOR SENSITIVITY TEST KIT

TT800



### Includes:

- 1x Trutest 801 Smoke Detector Sensitivity Tester
- 12x Trutest Smoke 400 Detector Test Aerosol Canisters
- 1x Storage Case and Pole Bag
- 1x Solo 100 15' Telescopic Access Pole



# REMOVAL & CLEANING



## SOLO 200 UNIVERSAL REMOVAL TOOL

**SOLO200**

The Solo 200's universal design can accommodate the installation and removal of the widest range of detectors.

Color-coded heads rotate to provide a combination of sizes and settings to suit detectors of varying sizes and shapes. *Lifetime limited warranty.*

### Solo 200 Spare Parts

Transparent Grips

**SPARE1002**



## BLOWOUT DETECTOR DUSTER

**BLOWOUT**



BlowOut hand-held air duster is perfect for use with fire alarm equipment. BlowOut comes with a directional straw, allowing access to hard to reach areas. BlowOut 10oz cans are sold in cases of 12.



# HOW HIGH ARE YOU TESTING?



SOLO100



SOLO108



SOLO101



## SOLO 100 15' TELESCOPIC ACCESS POLE

SOLO100



20 ft Reach

### Specifications:

- Extends from 4.8ft to 14.9ft in four sections, allowing access to approximately 20ft.
- Collapsed length: 52"
- Add up to three extension poles to reach approximately 30ft.
- *Lifetime limited warranty*



## SOLO 108 8' TELESCOPIC ACCESS POLE

SOLO108



12 ft Reach

### Specifications:

- Extends from 4ft to 7.2ft.
- Collapsed length: 52"
- Add up to three extension poles to reach approximately 26ft.
- *Lifetime limited warranty*



## SOLO 101 4' EXTENSION POLE

SOLO101



9 ft Reach

### Specifications:

- Measures 3.9ft in length
- Can be used on its own or in combination with the Solo 100 or Solo 108 Access Poles
- *Lifetime limited warranty*



## PROTECTIVE STORAGE & POLE BAG

SOLO610

To keep your Testifire and poles protected, add the Solo 610 protective carrying and storage bag.



# SOLO TEST & MAINTENANCE KITS

## SMOKE STARTER KIT



20FT REACH



**Includes:**

- 1x Solo 100 15' Access Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag



12FT REACH

## SMOKE STARTER KIT



**Includes:**

- 1x Solo 108 8' Access Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag

## SMOKE STARTER KIT



**Includes:**

- 1x Solo 101 4' Extension Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag



10FT REACH

## SMOKE, HEAT & CO TECHNICIAN KIT



24FT REACH



**Includes:**

- 1x Solo 100 15' Access Pole
- 1x Solo 101 4' Extension Pole
- 1x Solo 200 Universal Removal Tool
- 1x Solo 330 Dispenser
- 1x Solo 460 Heat Detector Tester
- 1x Solo 727 Battery Charger
- 2x Solo 770 Battery Batons
- 1x Solo 610 Carrying Bag



## SMOKE, HEAT & CO ENHANCED TECHNICIAN KIT

**SOLO823**



**30FT  
REACH**

### Includes:

- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Pole
- 1x Solo 200 Universal Removal Tool
- 1x Solo 330 Dispenser
- 1x Solo 460 Heat Detector Tester
- 1x Solo 727 Battery Charger
- 2x Solo 770 Battery Batons
- 1x Solo 610 Carrying Bag



## SOLO & TRUTEST KIT

**ST1**



**30FT  
REACH**



### Includes:

- 1x Solo 823 Enhanced Technician Kit
- 1x Trutest 801 Detector Sensitivity Tester
- 12x Smoke 400 Aerosol Canisters
- 12x Solo A10 Smoke Detector Tester Canisters
- 12x BlowOut Detector Duster
- 1x Cell Checker

### UPGRADE TO THE ST2 KIT

*The ST2 Kit includes everything in the ST1 Kit plus dB Checker, Duct Checker, and a case of Smoke Centurion (12 cans)*



# SOLUTIONS FOR TESTING POINT & ASD SYSTEMS

Testing hard-to-access smoke detectors? Scorpion is the solution for buildings with hard-to-access detectors. Suitable for both Point and Aspirating Smoke Detection (ASD) systems, Scorpion ensures all smoke detectors can be tested - regardless of location.

Detectors in hard-to-access locations still need to be tested, and this can take not only additional time but incur additional costs and personnel downtime. Scorpion suits a wide range of applications.





## SCORPION POINT SMOKE DETECTOR TESTER

**SCORP1011** 

The Scorpion 1011 head unit is permanently installed alongside a smoke detector, testing is then initiated from a hand-held controller via a conveniently sited access point.

- Includes:**  
 1x Scorp 1001-001 Point Head Unit & Mounting Bracket  
 1x Scorp 25-001 Access Point



## SCORPION ASD SYSTEM TESTER

**SCORP2011** 



The Scorpion head unit is permanently mounted adjacent to a sampling point on an ASD system pipe - typically at the end of the run. Just one unit is required for each pipe run - regardless of the number of sampling points.

- Includes:**  
 1x Scorp 2001-001 Point Head Unit & Mounting Bracket  
 1x Scorp 25-001 Access Point



## ENGINEERS PORTABLE CONTROLLER

**SCORP7000**



The portable controller connects to a Scorpion Access Point to enable smoke generation and testing. Powered via a Solo 770 Battery Baton\*

*\*Available separately*

# ALARM COMPONENT TESTERS

## Cell Checker Accessories

Padded Case

**CELL01CS**

48" Plier-Type Lead

**CELL01LD**

48" Clip-Type Lead

**CELL01RL**

Accessory Kit (Case & Strap)

**CELLPAC**



**checker™**  
ALARM COMPONENT TESTERS

## CELL CHECKER

**CELLO3**



Cell Checker utilizes pulse load technology to provide a comprehensive test of a battery's state of charge and condition. Rather than simply displaying a voltage reading, Cell Checker determines a battery's remaining power capacity by measuring its ability to maintain voltage levels while under load.

Use Cell Checker to test the performance of 2- to 12-volt batteries up to 200AH. Cell Checker also tests SLA batteries.



**checker™**  
ALARM COMPONENT TESTERS

## POWER CHECKER

**PC01**



Power Checker uses a patented, high-accuracy pulse load test to provide a comprehensive means of testing the state of charge or state of power for more than 30 primary (non-rechargeable) and rechargeable battery types, including NiMH, Li-Ion, alkaline, lithium, coin cell, button type and more. This microprocessor-controlled unit is designed for commercial or home use.



**checker™**  
ALARM COMPONENT TESTERS

## dB CHECKER

**DB01/DB02**



The ideal tool for measuring the sound pressure levels for audible alarm notification appliances as mandated by the National Fire Alarm & Signaling Code. The dB02 supports A frequency weighting and the dB01 supports A to C frequency weighting.

### Specifications:

- Meets IEC651 Type 2 and ANSI S1.4 Type 2 Standards
- Conforms to NFPA 72
- dB01 Measurement Range: 32 to 130 dB at frequencies of 31.5 Hz to 8 KHz
- dB02 Measurement Range: 40 to 130 dB at frequencies of 100Hz to 8.3KHz



**checker™**  
ALARM COMPONENT TESTERS

## DUCT CHECKER

DUCT01



Duct Checker is ideal for annual testing to ensure that the duct detector will sample the differential pressure via the sampling tubes, as required by NFPA 72. Duct Checker is manufacturer-approved, easy to use, and ensures accurate results.

**checker™**  
ALARM COMPONENT TESTERS

## AV CHECKER

AV02



AV Checker is the ideal device for annual testing to ensure that the duct detector will sample the air velocity as required by NFPA 72, and according to manufacturer's instructions.

### Specifications:

- Ensures duct detector will sample the air velocity correctly
- Easy to use
- Includes custom hard case
- Digital thermometer function
- Conforms to NFPA 72
- Meets CAN/ULC S536-04,5.7.4.4.1



**BUNDLE DUCT01 AND AV02 WITH A DUCT DETECTOR TEST KIT (DUCTPKG)**



# SPEECH INTELLIGIBILITY TESTING

Having an effective and accurate fire safety system is equally as important as having reliable testing tools to ensure that it is functioning properly. Voice evacuation alarms need specific testing tools to ensure clear communication. SDi proudly offers Bedrock speech intelligibility testing solutions for use with emergency voice systems.



**TALKBOX**

**BTB65**



The BTB65 Talkbox is a calibrated acoustic signal source for taking STIPA measurements and more. It can play test signals through its built-in loudspeaker, or you can use the line-out feature to play the test signals through other devices. Includes a hard case.

- Easy to use touch screen
- Loudspeaker frequency range 20 – 15,000 Hz
- Plays back signal at a standardized (calibrated) signal level of 54-72 dB(A) at 1m
- Signal level can be increased/decreased relative to the environment



**ADVANCED TALKBOX**

**BTB115**



The Bedrock BTB115 is an advanced acoustic signal generator that supports a variety of test signals, including STIPA and full STI. Designed to match a human talker in terms of directivity pattern and other characteristics, the BTB115 Advanced Talkbox removes the hassle of creating a calibrated test setup.

- 3 Capacitive touch displays
- Effective frequency range 80-16,000 Hz
- Playback of user-uploaded signals calibrated on-the-fly through the powerful internal DSP.
- Integrated class 2 laser pointer and laser distance meter (range 0.03-1.50m). SPL at the test position is calculated from the distance.
- Wireless control via WiFi or Bluetooth

## Accessories

Custom Hard Case

SMBTBCS



**INTELLIGIBILITY MEASUREMENT KIT**

**SMBTBKT**



**Includes:**  
SM50 STIPA Meter  
BTB65 Talkbox  
Custom Hard Case



## CLASS 1 MEASURING INSTRUMENT

AM100



The Bedrock AM100 is our most advanced class 1 / type 1 acoustic measuring instrument. It includes all the functionality of the Bedrock SM90 and more but has higher specs all around (such as more storage, a better display, and integrated wireless connectivity).

- Conforms to IEC651 Type 2, ANSI S1.4 Type 2
- Complies with NFPA 72 – 2013, ANNEX D



## SPEECH INTELLIGIBILITY TESTER

SM50



Bedrock SM50 is a versatile speech intelligibility tester for fire safety systems. It has a user-friendly touch screen for easy control and can measure both STIPA and full STI. Features include RTA, FFT, Reverberation Time, Noise Curves, and more. It also has a USB port for quick connectivity and includes a hard case.

- Conforms to IEC651 Type 2, ANSI S1.4 Type 2
- Complies with NFPA 72 – 2013, ANNEX D

# SERVICE

In addition to providing the best fire and life safety equipment in the industry, SDi also services, maintains, and provides support for all our products. With more than 20 years of combined experience, our service staff has the knowledge and skills necessary to keep your equipment performing at its best with minimal downtime. SDi's trained technicians are also available to provide convenient telephone support as well as online training.

SDi's Service Department honors all warranty work, performs routine equipment maintenance and calibration, and can correct problems that may arise with your testing equipment in an efficient, precise, and timely manner

## Our services include:

- Preventative maintenance to extend the life of your equipment and reduce costly repairs
- Routine maintenance to keep your equipment operating at peak efficiency
- Repair and calibration services for:
  - Trutest
  - Cell Checker
  - dB Checker
  - SM50 & BTB65 Talkbox


For service inquiries, please contact our service team at 732-751-9266 or email [service@sdifire.com](mailto:service@sdifire.com)



SCAN FOR PRODUCT SUPPORT  
& TRAINING VIDEOS



# SDi SALES TERRITORIES



**Northeast Region**  
**TJ Haluska**  
tj.haluska@sdifire.com  
Phone: (732) 810-6667

**Southeast Region**  
**Tyler Phillips**  
tyler.phillips@sdifire.com  
Phone: (979) 837-9949

**Midwest Region**  
**Andrea Barghini**  
andrea.barghini@sdifire.com  
Phone: (312) 402-4550

**Southern Region**  
**Tyler Phillips**  
tyler.phillips@sdifire.com  
Phone: (979) 837-9949

**Northwest Region**  
**Mariana Ferguson**  
mariana.ferguson@sdifire.com  
Phone: (208) 982-2479

**Southwest Region**  
**Ed Fuentes**  
ed.fuentes@sdifire.com  
Phone: (310) 344-6608



**SDi, LLC**

3535 Highway 66, Building 6, Neptune, NJ 07753  
732-751-9266 | [www.sdifire.com](http://www.sdifire.com) | [sales@sdifire.com](mailto:sales@sdifire.com)

©2024 SDi. All rights reserved.

Connect with us

