


## SAFETY DATA SHEET

SDS0065CA-EN

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	TRUTEST SMOKE DETECTOR SENSITIVITY TESTER.
Trade Name	AERO 400-XXX (XXX denotes customer variant).
CAS No.	Mixture.
EINECS No.	Mixture.
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified Use(s)	Smoke simulation (for detector sensitivity tester).
Uses Advised Against	None known.
<b>1.3 Details of the supplier of the safety data sheet</b>	
<b>1.3.1 Distributor</b>	
Company Identification	SDI, LLC, 3535 State Highway 66, Parkway 100 Building 6, Neptune NJ07753, USA
Telephone	(732) 751 9266
Fax	(732) 751 9241
E-mail	sales@sdifire.com
<b>1.4 Emergency telephone number</b>	
Info Trac	1-800-535-5053
<b>1.5 Address of Manufacturer</b>	
	Detectors Testers (No Climb Products Ltd). Edison House, 163 Dixons Hill Road, Welham Green. Hertfordshire. AL9 7JE. United Kingdom
Telephone	+44 (0) 1707 282760
Fax	+44 (0) 1707 282777
E-mail	<a href="mailto:SDS@detectors testers.com">SDS@detectors testers.com</a>

### SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
WHMIS Classification	Gases under pressure: Liquefied gas; Contains gas under pressure; may explode if heated. Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
<b>2.2 Label elements</b>	
Product Name	TRUTEST SMOKE DETECTOR SENSITIVITY TESTER.
Hazard Pictogram(s)	
	GHS04
Signal Word(s)	Warning.
Hazard Statement(s)	H280: Contains gas under pressure; may explode if heated. H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	P273: Avoid release to the environment. P410+P403: Protect from sunlight. Store in a well-ventilated place.
Additional Information	18.75 % by mass of the contents are flammable. Do not pierce or burn, even after use. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 122°F. Keep out of the reach of children. Keep away from combustible material. Keep away from sources of ignition - No smoking. High concentrations: May cause drowsiness and dizziness.
<b>2.3 Other hazards</b>	
<b>2.4 Additional Information</b>	None.

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

#### 3.1 Mixtures

Hazardous Ingredient(s)	CAS No.	%W/W
1,1,1,2-tetrafluoroethane	811-97-2	90-100
Pentane	109-66-0	1 - 10
Propan-2-ol	67-63-0	1 - 10

#### 3.2 Additional Information

None.

**SECTION 4: FIRST AID MEASURES**



**4.1 Description of first aid measures**

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.  
 Skin Contact Wash with plenty of soap and water.  
 Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open.  
 Ingestion Unlikely route of exposure.

**4.2 Most important symptoms and effects, both acute and delayed**

None anticipated.

**4.3 Indication of any immediate medical attention and special treatment needed**

Unlikely to be required but if necessary treat symptomatically.

**SECTION 5: FIRE-FIGHTING MEASURES**

Pressurized container: May burst if heated.

**5.1 Extinguishing Media**

Suitable Extinguishing Media Extinguish preferably with dry chemical or alcohol foam.  
 Unsuitable Extinguishing Media None known.

**5.2 Special hazards arising from the substance or mixture**

Decomposes in a fire giving off toxic fumes:Hydrofluoric acid, Fluorinated compounds. Heating may cause pressure rise with risk of bursting.

**5.3 Advice for fire-fighters**

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

The product is an aerosol. It is unlikely to present spillage or leakage hazard.

**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours.

**6.2 Environmental precautions**

Avoid release to the environment.

**6.3 Methods and material for containment and cleaning up**

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.

**6.4 Reference to other sections**

See Also Section: 8, 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Avoid inhalation of high concentrations of vapours.

**7.2 Conditions for safe storage, including any incompatibilities**

Storage temperature Observe official regulations on storing packagings with pressurized containers. Protect from sunlight and do not expose to temperatures exceeding 122 °F.

Storage life Stable under normal conditions.

Incompatible materials Alkali metals, alkaline earth metals, magnesium, powdered metals.

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

**8.1.1 Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note:
1,1,1,2-tetrafluoroethane	811-97-2	-	-	-	-	Not established
Pentane	109-66-0	600	-	-	-	ACGIH
		600	-	-	-	Canada (Ontario)
Propan-2-ol	67-63-0	200	-	400	-	Canada (Ontario)
		400	983	500	1230	Canada (Québec)

Source:

ACGIH = American Conference of Government Industrial Hygenists

CCOHS = Canadian Centre for Occupational Health and Safety

- Règlement 833 ( Canada, Ontario)

- Règlement sur la santé et la sécurité du travail (Canada, Québec)

**8.2 Appropriate engineering controls**

Provide adequate ventilation.

**8.3 Individual protection measures, such as personal protective equipment (PPE)**



Specialized Fire Products

# TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

Eye / face protection Not normally required.



Skin protection (Hand protection/ Other) Not normally required.



Respiratory protection No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards Not applicable.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Aerosol.
Color	Colorless.
Odor	Slight hydrocarbon smell.
Odor Threshold	Not determined.
pH	Not determined.
Melting Point/Freezing Point	Not determined.
Initial boiling point and boiling range	-15.7°F (-26.5 °C)
Flash Point	Not applicable.
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not determined.
Vapor pressure	81.22 psig (5.6 bar) @ 77°F
Density	66.8 lb/ft <sup>3</sup> @ 77°F
Vapor density	3.5
Relative density	Not determined.
Solubility(ies)	Slightly soluble in: Water. Soluble in most organic solvents.
Partition coefficient: n-octanol/water	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Contains gas under pressure; may explode if heated.
Oxidizing properties	Not oxidizing.

### 9.2 Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	None known.
10.4 Conditions to avoid	Heat and direct sunlight.
10.5 Incompatible materials	Alkali metals, alkaline earth metals, magnesium, powdered metals.
10.6 Hazardous decomposition product(s)	None known.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

<b>Mixtures</b>	
<b>Acute toxicity</b>	Low acute toxicity. High concentrations: May cause drowsiness and dizziness.
<b>Irritation</b>	Non-irritant.
<b>Corrosivity</b>	Not classified.
<b>Sensitization</b>	It is not a skin sensitiser.
<b>Repeated dose toxicity</b>	None anticipated.
<b>Carcinogenicity</b>	No evidence of carcinogenicity.
<b>Mutagenicity</b>	There is no evidence of mutagenic potential.
<b>Toxicity for reproduction</b>	None anticipated.

### 11.2 Other information

None.

## SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
12.2 Persistence and degradability	No information available.
12.3 Bioaccumulative potential	No information available.
12.4 Mobility in soil	Slightly soluble in: Water. The product is predicted to have low mobility in soil.
12.5 Other adverse effects	None.







Specialized Fire Products

# TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

## SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 **Waste treatment methods** Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
- 13.2 **Additional Information** Disposal should be in accordance with local, state or national legislation. Do not allow to enter drains, sewers or watercourses.

## SECTION 14: TRANSPORT INFORMATION

- 14.1 **UN number** UN 1950
- 14.2 **ADR, IMDG, IATA, TDG**
- 14.2 **UN Proper Shipping Name** 1950 AEROSOLS
- 14.2 **ADR** AEROSOLS
- 14.2 **IMDG** AEROSOLS, Non-flammable
- 14.2 **IATA**
- 14.3 **Transport hazard class(es)**
- 14.3 **ADR** 2 5A Gases
- 14.3 **Class / Classification** 2.2
- 14.3 **Label** 2.2
- 14.3 **IMDG, IATA, TDG** 2.2
- 14.3 **Class / Division** 2.2
- 14.3 **Label** 2.2
- 14.4 **Packing Group** None.
- 14.4 **ADR, IMDG, IATA**
- 14.5 **Environmental hazards** No.
- 14.5 **Marine Pollutant**
- 14.6 **Special precautions for user** Warning: Gases.
- 14.6 **Kemler Code** -
- 14.6 **IMDG EMS** F-D, S-U
- 14.7 **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- 14.8 **Additional Information**
- 14.8 **ADR** 
- 14.8 **Limited Quantity (LQ)** 1 L
- 14.8 **ADR Transport Category** 3
- 14.8 **Tunnel Restriction Code** Not applicable in Limited Quantities.
- 14.8 **IMDG**
- 14.8 **Limited Quantity (LQ)** 1L 
- 14.8  
- 14.8 **IATA**
- 14.8 **Limited Quantity (LQ)** 1L
- 14.8 **UN Model Regulation** UN 1950, AEROSOLS, 2.2
- 14.8 **US** ORM-D when transported in limited quantities (< 30kg or 66lb gross weight).

## SECTION 15: REGULATORY INFORMATION

This product has been classified in accordance with HPR and the SDS contains all the information required by HPR.

- 15.1.1 **Canadian Regulations**
- 15.1.1 **Domestic Substances List (DSL)** All chemicals listed
- 15.1.1 **Export Control List** All chemicals are not listed
- 15.1.1 **Priority Substances List (PSL)** All chemicals are not listed
- 15.1.1 **Toxic Substances List** Listed: Pentane (CAS No.: 109-66-0)
- 15.1.1 **National Pollutant Release Inventory (NPRI)** Listed: Propan-2-ol (CAS No.: 67-63-0)
- 15.1.1 **Substance List**

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1, 8

### LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- ADR Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG International Maritime Code for Dangerous Goods
- IATA International Air Transport Association
- TDG Transport of Dangerous Goods
- ORM-D Other Regulated Materials for Domestic Transport Only
- HPR Hazardous Products Regulations



## TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

### **Disclaimers**

The information is based on the best knowledge of SDI and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.